



MOORING TAIL

11 m finished lenght (from eye to eye), with 1,8 m eye spliced at each end, one eye splice with minimum 5 tucks and protected with canvas or PVC cover

item	SIZE		WEIGHT		BREAKING STRENGHT	
	CIR (INCH)	DIA (mm)	Kg	600 ft (Lb)	Ton	Kn
Nylon 8 strands	8	64	44	97	82,5	810
	9	72	57	125,7	102	1001
	10	80	72	158,7	125	1226
	11	88	87	192	148	1452
	12	96	104	230	173	2011
Nylon 12 strands	8	64	44	97	90	883
	9	72	57	125,7	115	1128
	10	80	72	158,7	138	1355
	11	88	87	192	160	1570
	12	96	104	230	191	1874
NEGAFLEX	8	64	44	97	76	746
	9	72	57	125,7	95	932
	10	80	72	158,7	115	1128
	11	88	87	192	140	1373
	12	96	104	230	166	1628
TERAFLEX	8	64	44	97	81	795
	9	72	57	125,7	102	1002
	10	80	72	158,7	124	1217
	11	88	87	192	148	1452
	12	96	104	230	175	1717

Breaking strenght unspliced (Nominal)